

DITRAC®RODENTICIDE

SAFETY DATA SHEET

ACCORDING TO REGULATION: Section 274 of the Work Health and Safety Act

DATE OF ISSUE:

PREPARED BY:

January 2020

CAR

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: DITRAC® RODENTICIDE Australian Registration Number: 49868

Relevant identified uses: Anticoagulant Rodenticide - Ready to use Uses advised against: Use only for the purpose described above

MANUFACTURER:

Bell Laboratories, Inc. 3699 Kinsman Blvd.

Madison, WI 53704, USA email: registration@belllabs.com **IMPORTER:**

Bell Australia Pty Ltd Ground Floor

430 Little Collins Street Melbourne VIC 3000

Business Number: (03) 8375 8843, available 24/7

EMERGENCY PHONE NUMBERS:

Poisonings: 131 126 Poisons Information Centre In a transport emergency dial 000, Police or Fire

Brigade

For specialist advice in an emergency only, call

(02) 9037 2994 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

THIS PRODUCT IS CLASSIFIED AS: NOT HAZARDOUS ACCORDING TO THE CRITERIA OF SWA.

NOT A DANGEROUS GOOD ACCORDING TO AUSTRALIAN DANGEROUS GOODS (ADG) CODE, IATA OR IMDG/IMSBC CRITERIA.

SUSMP Classification: S6

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or

IMDG/IMSBC criteria. UN Number: None allocated





GHS Signal word: WARNING

HAZARD STATEMENT:

H373: May cause damage to organs through prolonged or repeated exposure.

PREVENTION

P102: Keep out of reach of children.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

RESPONSE

P313: Get medical attention/advice

P321: Treatment with Vitamin K, which is antidotal, is almost always successful

P337: If eye irritation persists: seek medical attention

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Major Health Hazards: Ingestion of Brodifacoum is initially asymptomatic, and may continue as such even with prolonged alterations in prothrombin time. No gastrointestinal tract or other symptom occurs. Coagulation disturbances may become evident a few days after ingestion, and may be detected only by laboratory studies. In severe poisoning, gum-bleeding, epistaxis, petechiae, ecchymoses, haematomata, blood in urine and faeces, and genital haemorrhage may occur. Internal bleeding and cerebral haemorrhage may complicate the patient's prognosis. This product is a cumulative poison. Minor exposures over a period of time may lead to serious health problems.

Trade Name: Ditrac Rodenticide Australia Date Created: January 2020 Supplier: Bell Laboratories, Inc.

Page 1 of 4

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS				
Component	CAS No.	% By weight		
Brodifacoum [3-[3-(4'-Bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one]	56073-10-0	0.005%		
Inert and Non-Hazardous Ingredients (Unlisted components are non-hazardous)	Proprietary	99.995%		

SECTION 4. FIRST AID MEASURES

Description of first aid measures

Poisons Information Centre (for exposure or poisoning) contact a doctor or phone Australia 13 1126, available 24/7.

Ingestion: Call physician or emergency number immediately. Have this SDS with you when you call. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed by physician.

Inhalation: Not applicable.

Eye contact: Hold eye open and rinse slowly with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If irritation develops, obtain medical assistance.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. If irritation develops, obtain medical assistance.

Most important symptoms and effects, both acute and delayed

Ingestion of excessive quantities may cause nausea, vomiting, loss of appetite, extreme thirst, lethargy, diarrhea, bleeding.

Advice to physician: If ingested, administer Vitamin K_1 intramuscularly or orally as indicated for bishydroxycoumarin overdoses. Repeat as necessary as based upon monitoring of prothrombin times.

Advice to Veterinarian: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media: water, foam or inert gas.

Unsuitable Extinguishing Media: None known.

Special hazards arising from the mixture: High temperature decomposition or burning in air can result in the formation of toxic gases, which may include carbon monoxide and traces of bromine and hydrogen bromide.

Advice for firefighters: Wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Gloves should be worn when handling the bait. Collect spillage without creating dust.

Environmental precautions: Do not allow bait to enter drains or water courses. Where there is contamination of streams, rivers or lakes contact the appropriate environment agency.

Methods and materials for containment and cleaning up

For Containment: Sweep up spilled material immediately. Place in properly labeled container for disposal or re-use.

For Cleaning Up: Wash contaminated surfaces with detergent. Dispose of all wastes in accordance with all local, regional and national regulations.

Reference to other sections: Refer to Sections 7, 8 & 13 for further details of personal precautions, personal protective equipment and disposal considerations.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling: Do not handle the product near food, animal foodstuffs or drinking water. Keep out of reach of children. Do not use near heat sources, open flame, or hot surfaces. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Conditions for safe storage, including any incompatibilities: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, wellventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

Trade Name: Ditrac Rodenticide Australia Date Created: January 2020 Supplier: Bell Laboratories, Inc.

Page 2 of 4

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Established Limits

Component	OSHA	ACGIH	Other Limits
Brodifacoum	Not Established	Not Established	Not Established

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves when skin contact is likely. **Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber.

Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable dust mask.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance/Color:Red granular pelletOdor:Sweet grain-like

Odor Threshold: No data No data pH: **Melting point:** No data **Boiling point:** No data Flash point: No data **Evaporation rate:** No data Flammability: No data **Upper/lower flammability or explosive limits:** No data Vapor Pressure: No data **Vapor Density:** No data

Relative Density: 1.33 g/mL @ 20°C

Solubility (water):

Solubility (solvents):

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

No data

No data

Viscosity:

No data

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Stable when stored in original container in a cool, dry location.

Chemical stability: Stable when stored in original container in a cool, dry location. **Possibility of hazardous reactions:** Refer to Hazardous decomposition products **Conditions to avoid:** Avoid extreme temperatures (below 0°C or above 40°C).

Incompatible materials: Avoid strongly alkaline materials.

Hazardous decomposition products: High temperature decomposition or burning in air can result in the formation of toxic gases, which may include carbon monoxide and traces of bromine and hydrogen bromide.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity

LD50, oral (ingestion): >5001 mg/kg (rats) (Brodifacoum rat LD50 oral: 0.490 mg/kg bw).

LD50, dermal (skin contact): > 5001 mg/kg (rats) (Brodifacoum rabbit LD50 dermal: 4.185 mg/kg bw).

LC50, inhalation: Product is a wax block and therefore exposure by inhalation is not relevant.

Skin corrosion/irritation: Not irritating to skin. **Serious eye damage/Irritation:** Not irritating to eyes.

Trade Name: Ditrac Rodenticide Australia

Date Created: January 2020

Supplier: Bell Laboratories, Inc.

Page 3 of 4

Respiratory or skin sensitization: Dermal sensitization: Not a Sensitizer (Guinea pig maximization test).

Germ cell mutagenicity: Contains no components known to have a mutagenetic effect.

Carcinogenicity: Contains no components known to have a carcinogenetic effect.

Components	NTP	IARC	OSHA
Brodifacoum	Not listed	Not listed	Not listed

Reproductive Toxicity: No data

Aspiration Hazard: Not applicable. Product is a granular pellet. Target Organ Effects: Reduced blood clotting ability. .

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity Effects: This product is extremely toxic to fish, birds and other wildlife. Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

Persistence and degradability: Product is inherently biodegradable.

Bioaccumulative potential: Not determined. Brodifacoum water solubility is extremely low (< 0.1 mg/l).

Mobility in Soil: Not determined. Mobility of brodifacoum in soil is considered to be limited.

Other adverse effects: None

SECTION 13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

Disposal: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

SECTION 14. TRANSPORT INFORMATION

UN Number: This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

SECTION 15. REGULATORY INFORMATION

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

SECTION 16. OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.

ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS: Australian Inventory of Chemical Substances SWA: Safe Work Australia, formerly ASCC and NOHSC **CAS number:** Chemical Abstracts Service Registry Number

Hazchem Code: Emergency action code of numbers and letters that provide information to emergency services especially firefighters

IARC: International Agency for Research on Cancer

OSHA: Occupational Health and Safety Administration (USA

NFPA: National Fire Protection Agency (USA)

HMIS: Hazardous Materials Identification System (USA

NOS: Not otherwise specified

NTP: National Toxicology Program (USA)

R-Phrase: Risk Phrase

SUSMP: Standard for the Uniform Scheduling of Medicines & Poisons

UN Number: United Nations Number

NFPA	Health: 1 (caution)	Flammability: 1 (slight)	Reactivity: 0 (stable)	Specific Hazard: None
HMIS	Health: 2 (moderate)	Flammability: 1 (slight)	Reactivity: 0 (minimal)	Protective Equipment: B

Disclaimer: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Bell Laboratories. Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your consideration and investigation. The user is responsible to ensure that they have all current data, including the approved product label, relevant to their particular use.

Trade Name: Ditrac Rodenticide Australia Date Created: January 2020 Supplier: Bell Laboratories, Inc.

Page 4 of 4