

Safety Data Sheet



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name AntMaster™ Liquid Bait
Product code (UVP) 79028229

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.es.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to specific Australian legislation

No hazard label for supply/use required.

2.3 Other hazards

No particular hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Imidacloprid 0.05g/l

Safety Data Sheet



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

Any other liquids (AL)

| Chemical name | CAS-No. | Concentration [%] |
|---|--------------------------|-------------------|
| Imidacloprid | 138261-41-3, 105827-78-9 | 0.004 |
| Other ingredients (non-hazardous) to 100% | | |

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

If large amounts are ingested, the following symptoms may occur:

Dizziness, Abdominal pain, Nausea

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

Due to its low concentration intake of a hazardous amount of active ingredient from this formulation is unlikely.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

Treat symptomatically. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO₂), Sand

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released:, Carbon monoxide (CO)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid contact with skin, eyes and clothing.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|--------------|-------------|--------------------------------|--------|----------|
| Imidacloprid | 138261-41-3 | 0.7 mg/m ³ (TWA) | | OES BCS* |

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

| | |
|----------------------|--|
| Material | Nitrile rubber |
| Rate of permeability | > 480 min |
| Glove thickness | > 0.4 mm |
| Directive | Protective gloves complying with EN 374. |

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If there is a risk of significant exposure, consider a higher protective type suit. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

Safety Data Sheet



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

General protective measures In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|---|------------------------------------|
| Form | Liquid, clear, viscous |
| Colour | colourless to light yellow |
| Odour | weak, characteristic |
| Odour Threshold | No data available |
| pH | No data available |
| Melting point/range | No data available |
| Boiling Point | No data available |
| Flash point | No data available |
| Flammability | No data available |
| Auto-ignition temperature | No data available |
| Thermal decomposition | No data available |
| Minimum ignition energy | No data available |
| Self-accelerating decomposition temperature (SADT) | No data available |
| Upper explosion limit | No data available |
| Lower explosion limit | No data available |
| Vapour pressure | No data available |
| Evaporation rate | No data available |
| Relative vapour density | No data available |
| Relative density | No data available |
| Density | ca. 1.34 g/cm ³ (20 °C) |
| Water solubility | No data available |
| Partition coefficient: n-octanol/water | Imidacloprid: log Pow: 0.57 |
| Viscosity, dynamic | No data available |
| Viscosity, kinematic | No data available |

Safety Data Sheet



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

| | |
|------------------------------|--|
| Oxidizing properties | No data available |
| Explosivity | No data available |
| 9.2 Other information | Further safety related physical-chemical data are not known. |

SECTION 10. STABILITY AND REACTIVITY

| | |
|--|---|
| 10.1 Reactivity | Stable under normal conditions. |
| 10.2 Chemical stability | Stable under recommended storage conditions. |
| 10.3 Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4 Conditions to avoid | No data available |
| 10.5 Incompatible materials | Strong oxidizing agents |
| 10.6 Hazardous decomposition products | Thermal decomposition can lead to release of: Hydrogen chloride (HCl) Hydrogen cyanide (hydrocyanic acid) Carbon monoxide Nitrogen oxides (NOx) |

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| | |
|--|--|
| Acute oral toxicity | LD50 (Rat) > 5,000 mg/kg calculated |
| Acute inhalation toxicity | LC50 (Rat) > 10,000 mg/m ³ Exposure time: 4 h calculated |
| Acute dermal toxicity | LD50 (Rat) > 5,000 mg/kg calculated |
| Skin corrosion/irritation | No skin irritation |
| Serious eye damage/eye irritation | No eye irritation |
| Respiratory or skin sensitisation | Non-sensitizing. |

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Safety Data Sheet



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Inhalation not likely.

No skin irritation

No eye irritation

No specific effects on humans are known under normal use conditions., Ingestion of large amounts may be harmful (see Signs and Symptoms).

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Safety Data Sheet



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

| | |
|--|--|
| Toxicity to aquatic invertebrates | EC50 (<i>Daphnia magna</i> (Water flea)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid. EC50 (<i>Chironomus riparius</i> (non-biting midge)) 0.0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid. |
| Chronic toxicity to aquatic invertebrates | EC10 (<i>Chironomus riparius</i> (non-biting midge)): 2,09 µg/l Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid. |
| Toxicity to aquatic plants | IC50 (<i>Desmodesmus subspicatus</i> (green algae)) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid. |
| Toxicity to other organisms | LD50 (<i>Coturnix japonica</i> (Japanese quail)) 31 mg/kg LD50 (<i>Colinus virginianus</i> (Bobwhite quail)) 152 mg/kg |

12.2 Persistence and degradability

Biodegradability Imidacloprid:
Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

Bioaccumulation Imidacloprid:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soils

12.5 Other adverse effects

Additional ecological information No further ecological information is available.

SECTION 13. DISPOSAL CONSIDERATIONS

Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage. DO NOT burn empty containers or product.

SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 64036



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

SUSMP classification (Poison Schedule)

Exempt (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information AntMaster™ is a Trademark of the Bayer Group.

Abbreviations and acronyms

| | |
|---------------|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute toxicity estimate |
| AU OEL | Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) |
| CAS-Nr. | Chemical Abstracts Service number |
| CEILING Conc. | Ceiling Limit Value Concentration |
| EC-No. | European community number |
| ECx | Effective concentration to x % |
| EINECS | European inventory of existing commercial substances |
| ELINCS | European list of notified chemical substances |
| EN | European Standard |
| EU | European Union |
| IATA | International Air Transport Association |
| IBC | International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) |
| ICx | Inhibition concentration to x % |
| IMDG | International Maritime Dangerous Goods |
| LCx | Lethal concentration to x % |
| LDx | Lethal dose to x % |
| LOEC/LOEL | Lowest observed effect concentration/level |
| MARPOL | MARPOL: International Convention for the prevention of marine pollution from ships |
| N.O.S. | Not otherwise specified |
| NOEC/NOEL | No observed effect concentration/level |
| OECD | Organization for Economic Co-operation and Development |
| OES BCS | OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard" |
| PEAK | PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes. |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SK-SEN | Skin sensitiser |
| SKIN_DES | SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure. |
| STEL | STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. |
| TWA | TWA: Exposure standard - time-weighted average (TWA): The average airborne |

Safety Data Sheet



AntMaster™ Liquid Bait

Version 1 / AUS
102000017015

Revision Date: 29.09.2021
Print Date: 29.09.2021

| | |
|-----|--|
| | concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week. |
| TWA | Time weighted average |
| UN | United Nations |
| WHO | World health organisation |

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.