

Product Name: BORACOL 200RH FUNGICIDE
APVMA Approval No: 30711/134013



Label Name:	BORACOL 200RH FUNGICIDE
-------------	-------------------------

Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	ACTIVE CONSTITUENTS: 52 g/L BORON PRESENT AS DISODIUM OCTABORATE TETRAHYDRATE 12 g/L BENZALKONIUM CHLORIDE SOLVENT: 886 g/L MONO ETHYLENE GLYCOL
-------------------------	--

Mode of Action:	
-----------------	--

Statement of Claims:	FOR INDUSTRIAL/DOMESTIC USE AS A REMEDIAL TREATMENT OF TIMBER AGAINST DECAY AND INSECTS. ALSO FOR THE FUNGICIDAL TREATMENT OF OTHER SURFACES THAT HAVE BEEN IN CONTACT WITH AFFECTED TIMBER.
----------------------	--

Net Contents:	4 L-1000 L
---------------	------------

Restrains:	DO NOT USE on surfaces which come into direct contact with foodstuffs. DO NOT USE on roofs for collection of potable water. DO NOT USE on surfaces which come into direct contact with the ground.
------------	--

Directions for Use:	This section contains file attachment.
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	<p>BORACOL 200RH is effective in controlling surface mould, algae and fungi. It will also at the insecticide rate help control common wood borers and termites in timber.</p> <p>BORACOL 200RH is supplied ready for use for in-situ, remedial preventative treatment as per application table.</p> <p>If the surface to be treated is very dry the penetration of BORACOL 200RH will be enhanced if the surface is sprayed with water prior to treatment. This is always necessary when using the remedial/insecticide rate for the treatment of aged timbers with very dry surfaces. BORACOL 200RH can be applied immediately after the water has been absorbed by the surface.</p> <p>When using high rates (remedial/insecticide) it may be necessary to apply via two coatings with two to three hours interval.</p>
-----------------------	---

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	<p>PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT</p> <p>Do not contaminate streams, rivers or waterways with the chemical or used containers.</p>
--------------	---

Storage and Disposal:	<p>Storage and Disposal</p> <p>Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.</p> <p>For All Pack Sizes except 1000L</p> <p>Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p> <p>For 1000L Pack size</p> <p>Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.</p>
-----------------------	---

Safety Directions:	<p>Will irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Do not inhale spray mist. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.</p>
--------------------	--

First Aid Instructions:	<p>If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766.</p>
-------------------------	---

First Aid Warnings:	
---------------------	--

DIRECTIONS FOR USE

BORACOL 200RH can be applied by brush, roller, dipping or spraying.

Surfaces exposed to weather/rain are recommended to be sealed after application of BORACOL 200RH with a water repellent, paint or other suitable sealant.

APPLICATION TABLE

Purpose	Target Uptake per 1000cm ³
Preventative Treatment	10 mL
Remedial/insecticide Treatment	20 mL

Depth or Thickness		25 mm	50 mm	100 mm
SITUATION	STATES	Recommended rate/m ²		
PREVENTION of mould, algae and fungi for Timber, Masonry, Brickwork and Concrete	All States	250 mL	500 mL	1L
REMEDIAL/ INSECTICIDE Timber and Concrete	All States	500 mL	1L	2 L

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.