

FRONT PANEL ATTACHED TO CONTAINER

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CISLIN[®] 25 PROFESSIONAL INSECTICIDE

ACTIVE CONSTITUENT: 25 g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

For control of a range of insect pests in various situations as specified in the Directions for Use.

IMPORTANT: Read the attached booklet before use.

Net contents *

* 1 L or 5 L

2022 ENVIRONMENTAL SCIENCE AU PTY LTD
ABN 49 656 513 923
Suite 2.06, Level 2, 737 Burwood Rd
Hawthorn East, Vic, 3123
Technical Enquiries: 1800 024 209
www.au.envu.com



REAR PANEL ATTACHED TO CONTAINER

CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CISLIN 25 PROFESSIONAL INSECTICIDE

ACTIVE CONSTITUENT: 25 g/L DELTAMETHRIN

GROUP	3A	INSECTICIDE
--------------	-----------	--------------------

For control of a range of insect pests in various situations as specified in the Directions for Use.

Important: Read the attached booklet before use.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not reuse empty containers for any other purpose.

SAFETY DIRECTIONS

Harmful if swallowed. May cause skin sensitisation by skin contact. Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26: New Zealand 0800 764 766).

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE RETURN AT ONCE UNOPENED.

To the extent permitted by law 2022 Environmental Science AU Pty Ltd does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. 2022 Environmental Science AU Pty Ltd does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter. To the extent only that 2022 Environmental Science AU Pty Ltd is prevented by law from contracting out of the Consumer Guarantees Act then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

<p>FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY CALL +61 2 9037 2994 or 1800 862 115 toll free. The toll free phone number is possibly accessible, but not guaranteed from payphones within Australia and is not accessible from outside of Australia.</p>

Batch Number

Date of Manufacture

APVMA Approval No. 62147/134735

Envu, the Envu logo, Cislín®, Coopex® and Starycide® are trademarks owned by Environmental Science U.S. LLC or one of its affiliates.

©2023 Environmental Science U.S. LLC

May cause an allergic skin reaction. Avoid breathing mist or vapours. Contaminated clothing should not be allowed out of the workplace. IF ON SKIN: wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

BOOKLET

CAUTION

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

CISLIN 25 PROFESSIONAL INSECTICIDE

ACTIVE CONSTITUENT: 25 g/L DELTAMETHRIN

GROUP	3A	INSECTICIDE
--------------	-----------	--------------------

For control of a range of insect pests in various situations as specified in the Directions for Use.

DIRECTIONS FOR USE

RESTRAINT: DO NOT apply spray treatment outdoors, if rain is imminent.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, commercial, industrial and public buildings:- including food processing establishments, shops, factories, ships, offices, schools, storerooms, hospitals, barracks, private houses and external areas associated with such establishments		<p>Non-porous surfaces 30 – 60 mL in 5 L water / 100 m²</p> <p>Porous surfaces 30 – 60 mL in up to 10 L water / 100 m²</p>	<p>DO NOT exceed the point of run-off.</p> <p>The target deposition rate is 0.3 – 0.6 mL of Cislin 25 (equivalent to 7.5 - 15 mg of deltamethrin) per square metre of surface.</p> <p>Use the higher rate when pest pressure is high or conditions warrant it.</p> <p>Best-Practice Recommendation</p> <ul style="list-style-type: none"> • Estimate area of surface which needs to be treated • Calibrate spray equipment to identify mixed volume necessary to achieve coverage of target area • Measure out required volume of Cislin 25 and mix according to General Instructions below.
	Ants		<p>Where possible locate the nest and spray directly into nest entrances. Penetration of insecticide can be assisted by pre-wetting sandy and porous soils with water. A thorough soaking treatment with insecticide mixture is required to destroy the nest.</p> <p>In situations where the nest cannot be located then baiting with a suitably registered ant bait is the control method of choice. Alternatively, infested areas can be sprayed with this product.</p>
	Bedbugs		<p>Apply to the bedframe and walls, cracks, crevices and skirting boards in the vicinity of the bed.</p> <p>May also be applied to the edges and seams of the mattress but do not treat the flat surfaces which people sleep on.</p>
	Bird mites		<p>Treat infested areas. Inspect roof voids and remove any old bird nest material. A suitably registered dust product such as Coopex® Insecticidal Dusting Powder is recommended for treatment of roof void areas.</p>
	Carpet beetles		<p>Apply to infested carpets particularly in areas of little or no traffic and underneath windows where adult beetles may be entering the building.</p> <p>See also the note on application to carpets below.</p>
	Clothes moths		<p>Spray surfaces in areas where clothes are stored. DO NOT spray the clothes themselves.</p>

SITUATION	PEST	RATE	CRITICAL COMMENTS
<p>Domestic, commercial, industrial and public buildings:- including food processing establishments, shops, factories, ships, offices, schools, storerooms, hospitals, barracks, private houses and external areas associated with such establishments.</p>	Cockroaches	<p>Non-porous surfaces 30 – 60 mL in 5 L water / 100 m²</p>	<p>Conduct a thorough inspection and apply to known and potential cockroach harbourages. A barrier application around areas where cockroach infestations may be originating is also suggested.</p> <p>Where application of a spray is not suitable it is recommended that a suitably registered cockroach gel be applied as per the registered label of that product.</p>
	Fleas	<p>Porous surfaces 30 – 60 mL in up to 10 L water / 100 m²</p>	<p>Clean and vacuum infested areas and dispose of dust collected in the garbage in a sealed plastic bag. Lightly spray infested areas concentrating on areas under furniture etc. Treat pets with a suitably registered flea control product. The use of an Insect Growth Regulator (such as Starycide®) is considered a useful supplementary treatment for flea control.</p> <p>See also the note on application to carpets below.</p>
	Silverfish		<p>Direct spray to areas of potential infestation e.g., under skirting boards and furniture where dark conditions may favour silverfish populations.</p>
	Web-spinning spiders		<p>Spray spiders, their webbing and areas where spiders may hide directly. It is recommended that webbing is left in place for a few days after application to optimise efficacy.</p>
	Non-web spinning spiders		<p>Spray areas where spiders are known to occur.</p>
	Mosquitoes and houseflies	<p>Non-porous surfaces 30 mL in 5 L water / 100 m²</p> <p>Porous surfaces 30 mL in up to 10 L water / 100 m²</p>	<p>Spray surfaces where flies and mosquitoes are known to come to rest.</p> <p>Flies – include external surfaces that are exposed to the morning sun.</p> <p>Mosquitoes – spray walls, awnings, fences and vegetated areas in proximity to buildings.</p> <p>Note: The perception of the level of control of flying insects achieved within any given area treated with a residual surface spray will be affected by the extent of in-migration of individuals from external (un-treated) areas. A residual surface spray will only control those insects that alight on the treated surfaces and therefore complete elimination of flying insects from the treated area should not necessarily always be expected.</p>
	Stored product insect pests		<p>The use of this product in the control of stored product pests should be considered part of an integrated strategy to prevent development of insect populations. Best results will be obtained where good hygiene is maintained. Infested areas should be cleaned prior to application and regularly cleaned thereafter to reduce food sources for pests.</p> <p>When treating for beetle pests pay special attention to sheltered areas such as cracks and crevices, under furniture and equipment, floors, walls and shelves. Adult moths can be controlled by applying this product to walls and surfaces where the flying adult moths come to rest.</p>

SITUATION	PEST	RATE	CRITICAL COMMENTS
External areas and surrounds of domestic, commercial and public buildings and structures. Surrounds of sporting venues and other recreational areas.	Paralysis ticks (<i>Ixodes holocyclus</i>)	Non-porous surfaces 60 mL in 5 L water / 100 m ² Porous surfaces 60 mL in up to 10 L water / 100 m ²	Apply to outside surfaces of buildings and surrounds including but not limited to foundations, soil, turf, trunks of woody ornamentals and other areas where ticks congregate or have been seen. This treatment is intended to control ticks which are present at the time of application. Repeat application may be required during times of high tick activity. When used in domestic garden situations where domestic pets are present it is recommended that the animals also be treated with an appropriately registered ectoparasiticide.
Mosquito bed-net treatment	Mosquitoes and sandflies	(Synthetic mosquito net) 16 mL in 0.5 litres of water (Cotton mosquito net) 16 mL in 2 litres of water	Note that the amount of Cislin 25 absorbed onto the fabric will depend largely on the material to be treated. These rates are specific to these net materials - other materials may have different rates of absorption and this will affect the dose obtained. The nominal target dose for these rates is 1 mL of Cislin 25 (equivalent to 25 mg of deltamethrin) per m ² of net.
Cut flowers for export	Quarantine pests	100 mL per 100 L water	Flowers must be totally submerged in the diluted product for not less than 1 minute and then left to dry naturally for 2 hours.
For short term protection of freshly felled pine logs prior to debarking	Five-spined bark beetle (<i>Ips grandicollis</i>)	40 mL in 10 L water	Apply through knapsack or power sprayer at the rate of 10 L per 100 m ² of surface area. NB - for best results apply promptly after felling or sawing operations.
For short term protection of freshly felled logs, poles, posts and sawn timber including <i>in situ</i> timbers	Beetle family <i>Anobiidae</i> , Beetle family <i>Bostrychidae</i>		

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

GENERAL INSTRUCTIONS

Mixing / Application

Shake original container before use. Periodically agitate suspension during application to ensure thorough mixing. For best results, form a pre-mix of the required amount of product with an equal volume of water. Stir thoroughly. Add to spray tank and dilute with remaining amount of water. Agitate thoroughly. Do not store diluted insecticide. Prepare a fresh solution as necessary. Do not spray the moving parts of any machinery, electric motors or switchgear with the water-based product.

Note on application to carpets

Whilst carpets are regarded as porous surfaces, excessive liquid application may produce water-stains and therefore the non-porous surface rate should be adopted if possible. Hence for short pile carpet, the maximum 5 L dilution rate (per 100 m²) should be sufficient. However, for long pile or shag carpet, the maximum 10 L dilution rate (per 100 m²) may be required, to ensure effective penetration and application to all of the carpet-pile. Since carpets vary in their thickness, colour and material it is highly recommended that a small, inconspicuous area of carpet be sprayed and allowed to dry first to ensure that application volumes are appropriate and that staining will not occur.

Note on application to ornamental plants

Cislin 25 Professional Insecticide has been used on a wide range of ornamental plant species without damage. However, some species and varieties are particularly sensitive to chemical sprays and as this is often related to local conditions it is advisable to treat only a small number of plants first, in order to ascertain their reaction before treating larger quantities.

Use as a residual surface treatment for control of stored product pests

The following measures should be observed:

Ensure food items in store are not exposed to spray – if necessary, remove food items from the area to be treated. Allow all treated surfaces to dry before replacing food items – where possible avoid spraying actual surfaces which food is likely to directly contact.

Do NOT allow spray to contact food packaging material.

Discard any foodstuff accidentally contaminated with spray solution.

Mosquito bed-net impregnation

THIS PRODUCT IS NOT FOR USE AS AN INSECT REPELLENT ON THE SKIN

Avoid contact with food, food utensils or places where food is prepared or stored.

Instructions for use

Nets to be treated should be washed and dried before treating.

Put on chemical resistant gloves before starting the dipping process.

Measure correct volume of water into dipping bowl or container.

Measure correct volume of insecticide concentrate.

Pour concentrate into water.

Stir water thoroughly to ensure even suspension.

Put net into liquid and push it up and down and turn over several times pushing the liquid into the net.

Lift net clear of liquid and allow any excess to drain back. DO NOT wring out excess solution from net as this will result in an uneven coverage of the net.

Lay net flat on plastic sheet in shade until just damp.

Hang on line in shade for final drying.

Fix net over bed and use every night in all seasons when mosquitoes are present.

Re-treat net once a year or after 3 washes - this product will remain effective after the net is washed up to three times.

When used as directed Cislin 25 will be effective at improving the protection afforded by a mosquito-net for up to 12 months. Keep impregnated nets in a sealed plastic bag out of direct sunlight when not in use to maximise duration of effectiveness.

The use of an insecticide treated bed-net will reduce the chances of being bitten by an insect which may carry disease; it should not be relied upon as the sole means of protection against insect-borne diseases. Other measures should also be considered and medical advice sought in relation to this matter.

Insecticide Resistance Warning

GROUP	3A	INSECTICIDE
-------	-----------	-------------

For insecticide resistance management, Cislin 25 is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to Cislin 25 and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Cislin 25 or other Group 3A insecticides are used repeatedly. The effectiveness of Cislin 25 on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, 2022 Environmental Science AU Pty Ltd accepts no liability for any losses that may result from the failure of Cislin 25 to control resistant insects. For information about strategies for managing insecticide resistance contact your local supplier or 2022 Environmental Science AU Pty Ltd representative.

PRECAUTIONS

For surface treatment only – DO NOT spray into the atmosphere using foggers or other devices designed to create an aerosol.

Allow treated carpets to dry before resuming activity on them.

Avoid contact of spray with timber to which a stain or other finish is subsequently to be applied, unless the owner is notified that the timber will need additional preparation, consistent with that if water alone had contacted the timber. (Evidence of water contact on timber is sometimes only evident once the stain has been applied).

Avoid contact with food, food utensils or surfaces on which food is prepared.

Before use remove or cover all exposed foodstuffs. Cover all dishes and utensils and surfaces where food is prepared.

After use – thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

Re-handling

Allow spray to dry thoroughly, before handling materials (e.g., cut flowers and sawn logs) that have been treated with Cislin 25. If prior handling is necessary, wear chemical resistant gloves. Gloves must be washed after each day's use.

Re-entry Period

DO NOT enter treated areas until the spray has dried.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not reuse empty containers for any other purpose.

SAFETY DIRECTIONS

Harmful if swallowed. May cause skin sensitisation by skin contact. Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26: New Zealand 0800 764 766).

APVMA Approval Number: 62147/134735