

DIRECTIONS FOR USE

DO NOT exceed 3m between bait stations for mice or 9m for rats. DO NOT place bait stations in the open. Mice require several bait stations, 50g per station (less than 1g will kill a mouse). Rats require large quantities of bait in one or two locations, 50–100g per station (4–6g will kill a rat). For effective control continue until feeding ceases.

Baiting Strategy: Eliminate as far as practicable, all other food sources. Bait infested area. Place bait stations under cover. Inspect bait stations daily. Replace eaten baits. If quickly eaten, increase number of bait stations. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.

GENERAL INSTRUCTIONS

Pellets are not subject to wind dispersal. Locate bait stations along walls or rafters and in dark sheltered spots where there are signs of rodent activity. Nail or fix in place if relevant. Record the number and locations of bait stations for purpose of replenishment and later removal. Most deaths occur 4 to 7 days after consumption of bait.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN

Keep away from food and water and surfaces which come in contact with food and water.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use. DO NOT place baits in locations which are accessible to domestic animals, livestock or birds. The product is restricted to use in and around buildings, (within 2 metres) or enclosed spaces, e.g. drains.



587BF-1

Product Code: 931006

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

DITRAC[®]

RODENTICIDE

ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM
Contains Denatonium Benzoate (Bittering Agent)

EASY TO USE

ONE FEED FAST ACTING NET 10 kg

Manufactured by:

 **Bell**
LABORATORIES, INC.
3699 Kinsman Blvd.
Madison, WI 53704 U.S.A.
www.belllabs.com
MADE IN USA

Australian Agent:
Bell Australia Pty Ltd.
Level 18 King George Central
145 Ann Street
Brisbane, QLD 4000
Australia

EMERGENCY CONTACT NO. (02) 9647 2111

STORAGE AND DISPOSAL

DO NOT contaminate dams, streams, rivers, waterways and drains with the bait or its used container. Store in a tightly closed, original container in a dry well ventilated area, as cool as possible out of direct sunlight. Shake empty container onto baiting site. Break, crush or puncture and bury empty container in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when rodent activity has ceased.

SAFETY DIRECTIONS

Poisonous if swallowed. Do not inhale dust. Do not touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water. Vitamin K₁ (Phytomenadione) is antidotal.

FIRST AID:

If poisoning occurs, contact a doctor or the Poisons Information Centre (phone Australia 13 11 26).

SDS:

For further information please refer to the Safety Data Sheet which can be obtained from the supplier.

CONDITIONS OF SALE

The use of Ditrac[®] is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose. Bell Laboratories, Inc. cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.

APVMA APPROVAL NO: 49868/10KG/0108

GHS Hazard and Precautionary Statements

May cause damage to organs through prolonged or repeated exposure.

Do not eat, drink or smoke when using this product. Avoid release to the environment. If eye irritation persists: seek medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. In case of fire: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

010317

Batch No.:

D.O.M.: