

# Safety data sheet

Page: 1/11

BASF Safety data sheet Date / Revised: 16.03.2023 Product: **Storm® Soft Bait Rodenticide** 

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

# 1. Substance/preparation and manufacturer/supplier identification

# Product name: Storm® Soft Bait Rodenticide

Use: rodenticide

Manufacturer/supplier: BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600 Telefax number: +61 3 8855-6511

Emergency information: BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

# 2. Hazard identification

Classification of the substance and mixture: Specific target organ toxicity — repeated exposure (Blood): Cat.2

Label elements and precautionary statement:

Pictogram:



Signal Word: Warning

Hazard Statement:

Page: 2/11

#### BASF Safety data sheet Date / Revised: 16.03.2023 Product: **Storm® Soft Bait Rodenticide**

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

May cause damage to organs (Blood) through prolonged or repeated exposure.			
it: If medical advice is needed, have product container or label at hand.			
Keep out of reach of children. Read carefully and follow all instructions.			
nts (Prevention): Do not breathe dust.			
Precautionary Statements (Response): P314 Get medical advice/attention if you feel unwell.			
nts (Disposal): Dispose of contents and container to hazardous or special waste collection point.			

Other hazards which do not result in classification: See section 12 - Results of PBT and vPvB assessment. This product is hazardous to mammals, including domesticated animals, and birds. Exposure of nontarget animals should be prevented.

# 3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Bait, rodenticide

Contains: Flocoumafen (Content (W/W): 0.005 %)

# 4. First-Aid Measures

General advice: Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician: Symptoms: coagulation disorders

Page: 3/11

BASF Safety data sheet Date / Revised: 16.03.2023 Product: **Storm® Soft Bait Rodenticide** 

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

Increased tendency to bleed.

In severe cases, massive bleeding from internal organs may result in circulatory shock, which could prove fatal.

The onset of symptoms is delayed for up to 4 days after uptake.

Hazards: The substance / product is an anticoagulant rodenticide with a coumarin-type mode of action.

Treatment: Symptomatic treatment (decontamination, vital functions). Antidote: Vitamin K1 preparation as antidote.

### 5. Fire-Fighting Measures

Suitable extinguishing media: dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons: carbon dioxide

Specific hazards: carbon monoxide, carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

### 6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.Do not discharge into the subsoil/soil.

Page: 4/11

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of. For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

# 7. Handling and Storage

#### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

If dead and/or dying rats or mice are found during and after the control program, these must be cleared away immediately in order to avoid secondary poisoning phenomena. Do not apply in the open – cover bait points or use bait boxes.

#### Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

#### Storage

Segregate from foods and animal feeds. Odour-sensitive: Segregate from products releasing odours. Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 30 °C Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# 8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection: Respiratory protection not required.

Hand protection: Chemical resistant protective gloves

Eye protection: Eye protection not required.

Page: 5/11

#### BASF Safety data sheet Date / Revised: 16.03.2023 Product: **Storm® Soft Bait Rodenticide**

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

# Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Before eating, drinking, or smoking, wash face and hands with soap and water.

# 9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	paste blue-green characteristic Not determined due to potential health	hazard by inhalation.
pH value:	approx. 5 - 7 (water, 1 %(m), 20 °C)	
Melting point: Boiling point:	not applicable	
Flash point:	not applicable	
Evaporation rate:	not applicable	
Flammability (solid/gas): Lower explosion limit:	not highly flammable	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Thermal decomposition:	170 °C , 260 kJ/kg	(DSC (OECD 113))
Self ignition:	325 °C ,30 kJ/kg Temperature: 275 °C	(DSC (DIN 51007))

Page: 6/11

#### BASF Safety data sheet Date / Revised: 16.03.2023 Product: **Storm® Soft Bait Rodenticide**

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

Self heating ability:	It is not a substance capable of spontaneous heating.
Explosion hazard: Fire promoting properties	
Vapour pressure:	
	The product has not been tested.
Density:	approx. 1.05 g/cm3 (20 °C)
Relative vapour density	
Solubility in water: Partitioning coefficient n-	insoluble octanol/water (log Pow): not applicable
Viscosity, dynamic:	not applicable, the product is a solid

# **10. Stability and Reactivity**

Conditions to avoid: See SDS section 7 - Handling and storage.

Thermal decomposition: 325 °C, 30 kJ/kg (DSC (DIN 51007))

Substances to avoid: strong acids, strong bases, strong oxidizing agents

Hazardous reactions: No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability: The product is stable if stored and handled as prescribed/indicated.

Reactivity: No hazardous reactions if stored and handled as prescribed/indicated.

# **11. Toxicological Information**

# **Routes of exposure**

Acute oral toxicity

Experimental/calculated data:

Page: 7/11

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

### LD50rat (oral): > 5,000 mg/kg (OECD Guideline 401)

#### Acute inhalation toxicity

LC50 (by inhalation): Not inhalable due to the physico-chemical properties of the product.

#### Acute dermal toxicity

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402) No mortality was observed.

#### Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Symptoms

coagulation disorders Increased tendency to bleed. In severe cases, massive bleeding from internal organs may result in circulatory shock, which could prove fatal. The onset of symptoms is delayed for up to 4 days after uptake.

#### Irritation

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

#### **Respiratory/Skin sensitization**

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Closed-patch Test guinea pig: (OECD Guideline 406)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

#### Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Page: 8/11

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

## **Reproductive toxicity**

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Flocoumafen Assessment of repeated dose toxicity: Repeated exposure to small quantities may affect certain organs. Damages the coagulation system.

# **Aspiration hazard**

No aspiration hazard expected.

### Other relevant toxicity information

Misuse can be harmful to health.

# **12. Ecological Information**

### Ecotoxicity

Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish: LC50 (96 h) > 4,000 mg/l, Oncorhynchus mykiss

Page: 9/11

#### BASF Safety data sheet Date / Revised: 16.03.2023 Product: **Storm® Soft Bait Rodenticide**

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates: EC50 (48 h) 280 mg/l, Daphnia magna The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic plants: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Flocoumafen Aquatic plants: EC50 (72 h) > 18.2 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) > 18.2 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on: Flocoumafen Chronic toxicity to fish: No observed effect concentration (28 d) < 0.1 mg/l, Brachydanio rerio (other, Flow through.)

Assessment of terrestrial toxicity: Hazardous to birds and mammals.

### Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Flocoumafen Assessment transport between environmental compartments: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

-----

### Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Flocoumafen Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

# **Bioaccumulation potential**

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 10/11

BASF Safety data sheet Date / Revised: 16.03.2023 Product: **Storm® Soft Bait Rodenticide** 

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

Information on: Flocoumafen Bioaccumulation potential: Bioconcentration factor: > 2,000 Accumulation in organisms is expected.

### **Additional information**

Other ecotoxicological advice: Must not be discharged into the environment.

# **13. Disposal Considerations**

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

### 14. Transport Information

#### Domestic transport:

Not classified as a dangerous good under transport regulationsUN number or ID number<br/>UN proper shipping name:<br/>Transport hazard class(es):Not applicable<br/>Not applicable<br/>None known<br/>user

#### Sea transport IMDG

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user

Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable None known

# Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable

Page: 11/11

BASF Safety data sheet Date / Revised: 16.03.2023 Product: **Storm® Soft Bait Rodenticide** 

Version: 2.2

(30647974/SDS\_GEN\_AU/EN) Date of print: 15.01.2024

Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known user

# **15. Regulatory Information**

### **Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

APVMA Approval No. 90839

# 16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.