

Safety Data Sheet



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Temprid® 75 Residual Insecticide
Product code (UVP) 79726996

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.es.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Acute toxicity: Category 4
H302 Harmful if swallowed.

Acute toxicity: Category 4
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Safety Data Sheet



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

Beta-Cyfluthrin
Imidacloprid

Signal word: Warning

Hazard statements

H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing mist.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
P330 Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Beta-Cyfluthrin 25 g/L, Imidacloprid 50 g/L
Suspension concentrate (=flowable concentrate)(SC)

| Chemical name | CAS-No. | Concentration [%] |
|--|--------------------------|--------------------|
| Beta-Cyfluthrin | 1820573-27-0 | 2.31 |
| Imidacloprid | 138261-41-3, 105827-78-9 | 4.63 |
| Glycerine | 56-81-5 | > 10.00 - <= 30.00 |
| Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt | 68425-94-5 | > 1.00 - < 10.00 |
| 1,2-Benzisothiazol-3(2H)-one | 2634-33-5 | > 0.05 - < 1.00 |
| Other ingredients (non-hazardous) to 100% | | |

SECTION 4. FIRST AID MEASURES



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

| | |
|-----------------------|--|
| General advice | Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely. |
| Inhalation | Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately. |
| Skin contact | Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|-----------------|---|
| Symptoms | Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness |
|-----------------|---|

4.3 Indication of any immediate medical attention and special treatment needed

| | |
|------------------|--|
| Risks | This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. |
| Treatment | Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae. |



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO₂), Foam, Dry chemical

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Avoid contact with spilled product or contaminated surfaces. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. When dealing with a spillage do not eat, drink or smoke. Keep unauthorized people away.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

- Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.
- Hygiene measures** Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated gloves, including the inside, before re-use. Keep working clothes separately. Garments that cannot be cleaned must be destroyed (burnt). Remove soiled clothing immediately and clean thoroughly before using again.
- 7.2 Conditions for safe storage, including any incompatibilities**
- Requirements for storage areas and containers** Keep out of the reach of children. Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place.
- Advice on common storage** Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|--------------------------------|--------------|---------------------------------|---------|----------|
| Beta-Cyfluthrin | 1820573-27-0 | 0.01 mg/m ³ (TWA) | | OES BCS* |
| Imidacloprid | 138261-41-3 | 0.7 mg/m ³ (TWA) | | OES BCS* |
| Glycerine (Inhalable mist.) | 56-81-5 | 10 mg/m ³ (TWA) | 12 2011 | AU NOEL |

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

- Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
- Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
- | | |
|----------------------|-------------------------------------|
| Material | Nitrile rubber |
| Rate of permeability | > 480 min |
| Glove thickness | > 0.4 mm |
| Protective index | Class 6 |
| Directive | Protective gloves complying with EN |



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

374.

| | |
|------------------------------------|---|
| Eye protection | Wear goggles (conforming to EN166, Field of Use = 5 or equivalent). |
| Skin and body protection | Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer. |
| General protective measures | In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply. If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals |
| Engineering Controls | |
| Advice on safe handling | Use only in area provided with appropriate exhaust ventilation. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|---|----------------------------|
| Form | suspension |
| Colour | light beige to light brown |
| Odour | No data available |
| Odour Threshold | No data available |
| pH | 4.5 - 7.0 (100 %) (23 °C) |
| Melting point/range | No data available |
| Boiling Point | No data available |
| Flash point | none |
| Flammability | No data available |
| Auto-ignition temperature | No data available |
| Minimum ignition energy | No data available |
| Self-accelarating decomposition temperature (SADT) | No data available |
| Upper explosion limit | No data available |
| Lower explosion limit | No data available |
| Vapour pressure | No data available |
| Evaporation rate | No data available |
| Relative vapour density | No data available |

Safety Data Sheet



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

| | |
|---|---|
| Relative density | No data available |
| Density | ca. 1.08 g/cm ³ (20 °C) |
| Water solubility | suspensive |
| Partition coefficient: n-octanol/water | Beta-Cyfluthrin: log Pow: 6.18 (22 °C) Imidacloprid: log Pow: 0.57 |
| Viscosity, dynamic | No data available |
| Viscosity, kinematic | No data available |
| Oxidizing properties | No data available |
| Explosivity | No data available |
| 9.2 Other information | Further safety related physical-chemical data are not known. |

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Strong acids, Strong bases, Strong oxidizing agents

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 1,044 mg/kg
Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 2.03 mg/l
Exposure time: 4 h
Highest attainable concentration.
Determined in the form of liquid aerosol.
Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg
Test conducted with a similar formulation.

Skin corrosion/irritation slight irritation (Rabbit)
The value mentioned relates to the active ingredient beta-cyfluthrin.



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

| | |
|--|---|
| | No skin irritation (Rabbit) The value mentioned relates to the active ingredient imidacloprid. |
| Serious eye damage/eye irritation | Mild eye irritation. (Rabbit) The value mentioned relates to the active ingredient beta-cyfluthrin. No eye irritation (Rabbit) The value mentioned relates to the active ingredient imidacloprid. |
| Respiratory or skin sensitisation | Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test The value mentioned relates to the active ingredient beta-cyfluthrin. Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test The value mentioned relates to the active ingredient imidacloprid. |

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.
Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Beta-Cyfluthrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

The toxic effects of Beta-Cyfluthrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Toxic by inhalation.

May cause skin irritation.

May cause eye irritation.



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.068 µg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient beta-cyfluthrin.
LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.29 µg/L
Exposure time: 48 h
The value mentioned relates to the active ingredient beta-cyfluthrin.
EC50 (Daphnia magna (Water flea)) 85 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient imidacloprid.
LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l
Exposure time: 24 h
The value mentioned relates to the active ingredient imidacloprid.

Chronic toxicity to aquatic invertebrates

EC10 (Chironomus riparius (non-biting midge)): 2,09 µg/l
Exposure time: 28 d
The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants

IC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient beta-cyfluthrin.
No acute toxicity was observed at its limit of water solubility.
IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient imidacloprid.

Safety Data Sheet



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

Toxicity to other organisms LD50 (Coturnix japonica (Japanese quail)) > 2,000 mg/kg
The value mentioned relates to the active ingredient beta-cyfluthrin.

12.2 Persistence and degradability

Biodegradability Beta-Cyfluthrin:
Not rapidly biodegradable
Imidacloprid:
Not rapidly biodegradable

Koc Beta-Cyfluthrin: Koc: 508 - 3179
Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

Bioaccumulation Beta-Cyfluthrin: Bioconcentration factor (BCF) 506
Does not bioaccumulate.
Imidacloprid:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Beta-Cyfluthrin: Immobile in soil
Imidacloprid: Moderately mobile in soils

12.5 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SECTION 14. TRANSPORT INFORMATION

ADG

| | |
|----------------------------|--|
| UN number | 3082 |
| Transport hazard class(es) | 9 |
| Subsidiary Risk | None |
| Packaging group | III |
| Description of the goods | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION) |
| Hazchem Code | •3Z |

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;

- packagings that do not incorporate a receptacle exceeding 500 kg(L); or
- IBCs

Safety Data Sheet



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

IMDG

| | |
|----------------------------|--|
| UN number | 3082 |
| Transport hazard class(es) | 9 |
| Subsidiary Risk | None |
| Packaging group | III |
| Marine pollutant | YES |
| Description of the goods | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION) |

IATA

| | |
|----------------------------|---|
| UN number | 3082 |
| Transport hazard class(es) | 9 |
| Subsidiary Risk | None |
| Packaging group | III |
| Environm. Hazardous Mark | YES |
| Description of the goods | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION) |

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 64371

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Temprid® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

| | |
|---------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute toxicity estimate |
| AU OEL | Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) |
| CAS-Nr. | Chemical Abstracts Service number |
| CEILING Conc. | Ceiling Limit Value Concentration |
| EC-No. | European community number |
| ECx | Effective concentration to x % |
| EINECS | European inventory of existing commercial substances |
| ELINCS | European list of notified chemical substances |
| EN | European Standard |
| EU | European Union |



Temprid® 75 Residual Insecticide

Version 1 / AUS
102000022949

Revision Date: 03.02.2021
Print Date: 03.02.2021

| | |
|-----------|--|
| IATA | International Air Transport Association |
| IBC | International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) |
| ICx | Inhibition concentration to x % |
| IMDG | International Maritime Dangerous Goods |
| LCx | Lethal concentration to x % |
| LDx | Lethal dose to x % |
| LOEC/LOEL | Lowest observed effect concentration/level |
| MARPOL | MARPOL: International Convention for the prevention of marine pollution from ships |
| N.O.S. | Not otherwise specified |
| NOEC/NOEL | No observed effect concentration/level |
| OECD | Organization for Economic Co-operation and Development |
| OES BCS | OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard" |
| PEAK | PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes. |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SK-SEN | Skin sensitiser |
| SKIN_DES | SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure. |
| STEL | STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. |
| TWA | TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week. |
| TWA | Time weighted average |
| UN | United Nations |
| WHO | World health organisation |

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.