CONFIDENCE STARTS HERE

Termidor® Residual

Termiticide and Insecticide

The gold standard in ant and general insect control

- Advanced non-repellent technology resulting in reduced application use patterns and cost savings
- Broad spectrum activity for the control of termites, cockroaches, ants, flies, spiders, earwigs, millipedes and house crickets
- Unique treatment flexibility for use in conjunction with bait treatments such as Trelona® ATBS
- Termidor Transfer Effect™ ensuring the powerful active is passed throughout pest populations for total population control



For more information on Termidor Residual Termiticide & Insecticide, visit **pest-control.basf.com.au** or contact your local BASF representative on **1800 558 399** 

■ **BASF**We create chemistry

## Termidor® Residual

## Termiticide & Insecticide

Termidor Residual Termiticide and Insecticide provides professional pest controllers with the most superior levels of control across a broad range of external pests, including ants,cockroaches, spiders, and flies. Termidor has been developed with BASF's advanced non-repellent technology, providing significant advantages over other inferior insecticides. This non-repellent technology results in reduced insecticide use, unsurpassed efficacy and superior residual characteristics. Termidor's unique Transfer Effect™ ensures the powerful active ingredient can be passed effectively throughout the pest population ensuring pests continue to interact with the insecticide without detection or disruption in behaviour – leading to unmatched levels of efficacy, long term residual control and reduced call backs.

Situation	Pest	Rate	Critical Comments
External areas and	Nuisance Ants	6mL in	Mix the required volume of Termidor in water. Treat surfaces 300mm up
surrounds of domestic,		1L of	and 300mm out from where the building or structure touches the ground.
commercial, public and		water	Apply at the rate of 1L of prepared suspension per 25 lineal metres.
industrial buildings and structures.			Pay particular attention to potential entry points, such as weep holes, cracks and crevices. Also apply to ant trails and where ants are active away from the nest. Structures may include retaining walls, fences, garden beds, sheds etc.
Spot application to	Nesting ants		Mix the required volume of Termidor in water. Treat the nest entrance or
nests in domestic			mound, and where ants are active away from the nest. Apply at the rate
situations.			of 1L of prepared suspension per 16m² or 60mL per m².
External areas and	Domestic	6mL in	Treat external surfaces 300mm up and 300mm out from where the
surrounds of domestic,	Cockroaches	1L of	building or structure touches the ground. Apply at the rate of 1L of
commercial, public and		water	prepared suspension per 25 lineal metres. Pay particular attention to
industrial buildings and			potential entry points, such as weep holes, cracks and crevices.
structures.			Also apply to where pest(s) may be active away from the building including retaining walls, fences, garden beds, sheds etc. Apply at the rate of 1L of prepared suspension per 16m <sup>2</sup> .
	Web-spinning		Spray spiders, their webbing and areas where spiders may hide at the
	spiders		rate of 1L of prepared suspension per 16m <sup>2</sup> .
	Daddy-long-		Apply directly onto spiders, millipedes, pill bugs, house crickets and
	legs spiders		earwigs as a spot treatment.
External covered	Houseflies	6mL in	Apply to surfaces where flies are likely to rest at the rate of 1L of
areas of domestic,		1L of	prepared suspension per 16m <sup>2</sup> .
commercial, public and		water	
industrial buildings and			
structures.			

Refer to the product label for full directions and use table.

## **Packaging**

Available in 1L & 5L bottles

For more information on Termidor® Residual Termiticide & Insecticide, visit **pest-control.basf.com.au** or contact your local BASF representative on **1800 558 399** 

## ALWAYS READ AND FOLLOW LABEL DIRECTIONS BEFORE USING ANY PRODUCT IN THIS FACT SHEET.

This fact sheet is intended as general advice. Disclaimer: The information submitted in this publication is based on current BASF knowledge and experience. In view of the many factors that may affect its application, this data does not relieve the user from carrying out their own tests. The data does not imply assurance of certain properties or of suitability for a specific purpose. It is the responsibility of the user to ensure that any proprietary rights and existing laws and legislation are observed.