Biopren® 50 Liquid Mosquito Larvicide

Date of Issue: 24 February 2022

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: Biopren® 50 Liquid Mosquito Larvicide

Other means of identification

Biopren 50g/L Capsule Suspension

Recommended use of

For the prevention of adult mosquito emergence

the chemical and restrictions on use:

Supplier: Globe Australia Pty Ltd

Street address: Unit B2a, 3-29 Birnie Ave, Lidcombe, NSW 2141

Telephone no.: +61 2 8713 5555 (Monday to Friday, 8:00a.m. – 5:00p.m. EST)

Fax: +61 2 9791 1241

Email: sales@globeaus.com.au

S-methoprene Bábolna Bioenvironmental Centre Ltd manufacturer: H-1107 Budapest, Szállás u.6, Hungary

Emergency telephone: Poisons Information Centre 13 11 26 (24 hours)

2. HAZARDS IDENTIFICATION

Classification of the Not classified as Dangerous Goods according to the Australian Code for the Transport of

substance mixture: Dangerous Goods by Road and Rail. (7th edition).

Not classified as hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

Components	CAS Number	Proportion (w/w)
The components of this product are not considered hazardous as presented in this formulation and therefore are		
not required to be disclosed according to the WHS Regulations. Following is the information for the active		
constituent which is not classified as hazardous in this formulation.		
S-methoprene	65733-16-6	5% (50 g/L)

4. FIRST AID MEASURES

Speed in treatment is essential. If poisoning occurs, contact a Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766 or a doctor. Have this SDS or the label with you.

Inhalation: There is no inhalation risk with this product. Bring affected person to fresh air.

Skin contact: Remove contaminated footwear and clothing, and wash with plenty of water and soap.

Remove from contaminated area. If symptoms develop, seek medical attention.

Eye contact: Flush eyes immediately with water or normal saline solution until the product is removed

or until a few minutes after irritation has ceased. If symptoms develop, seek medical

attention.

Ingestion: If swallowed, wash mouth with water and contact a Poisons Information Centre, or call a

doctor. Do not induce vomiting unless told to by the Poisons Information Centre or doctor.

First aid facilities: Eyewash and normal washroom facilities.

Medical attention and special treatment needed: Treat symptomatically.

Biopren® 50 Liquid Mosquito Larvicide

Date of Issue: 24 February 2022

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Hazchem code:

Not combustible. Use extinguishing media suited to burning materials. None.

Specific hazards arising from the substance or mixture:

Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. Fire decomposition products from this product may be harmful if inhaled. Take appropriate protective measures.

Special protective equipment and precautions for firefighters:

In case of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and chemical-protective clothing. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately. Do not allow contaminated water to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

ACCIDENTAL RELEASE MEASURES 6.

Emergency procedures/ **Environmental precautions:** In the event of a spill, prevent spillage from entering drains or water courses with absorbent material and call emergency services.

Personal precautions/ Protective equipment: Wear protective clothing. It is good practice to wear impermeable gloves when

handling chemical products.

Methods and materials for containment and cleaning up:

Contain - prevent run off into drains and waterways. For minor spills, clean up,

rinsing to sewer and put empty container in garbage.

7. HANDLING AND STORAGE

Precautions for safe handling:

Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Keep containers closed at all times - check regularly for leaks or spills. Transport and store upright. Refer to Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under 'Storage' should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section

Conditions for safe storage, including any incompatibilities:

Store packages of this product in a cool place. Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Make sure that the product does not come into contact with substances listed under 'Incompatibilities' in Section 10. Check packaging - there may be further storage instructions on the label.

8. **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters: No value assigned for this specific material by Safe Work Australia.

No biological limit allocated for the product or any of its ingredients. No biological

monitoring is required.

Appropriate engineering

Use in well ventilated areas. Keep containers closed when not in use.

controls:

Individual protection measures, such as Personal Protective Equipment (PPE):

See container label safety directions. The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Observe good standards of hygiene and cleanliness. Always wash hands, arms and face thoroughly with soap and water before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment with detergent and warm water before storage or re-use.

Respiratory protection:

Respiratory protective equipment is not needed under normal and intended conditions of product use. However if protection is required, consult AS/NZS 1715 and AS/NZS 1716 for further information.

Biopren® 50 Liquid Mosquito Larvicide

Date of Issue: 24 February 2022

Safety glasses/goggles with side shield protection should be worn as a general Eye and face protection:

precaution. Consult AS/NZS 1336 and AS/NZS 1337 for further information.

Skin protection: PVC or nitrile rubber gloves should be worn as a general precaution. Always

check with the glove manufacturer or your personal protective equipment supplier regarding the correct type of glove to use. Consult AS/NZS 2161 for

further information.

Trousers, long sleeved shirt or overalls and closed in shoes or safety footwear should be worn as a general precaution. Consult AS/NZS 2210 and AS/NZS 2919

for further information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Viscous liquid Colour: Yellowish white Odour: Slightly sweet

7.2 pH:

Specific gravity: 1.02 @ 20°C Approximately 0°C. Melting point/Freezing point:

Approximately 100°C at 100kPa. **Boiling point/range:** Flash point: No information available. No information available. **Evaporation point:**

Vapour pressure: 2.37 kPa at 20°C (water vapour pressure).

Vapour density: No information available. Solubility: Dispersible in water (98.8%). Partition coefficient: n- octanol/water No information available. **Auto-ignition temperature:** Not applicable – does not burn. No information available. **Decomposition temperature:**

Viscosity: No information available.

10. STABILITY AND REACTIVITY

Non-reactive under normal conditions of use. Reactivity:

Chemical stability: Stable under normal ambient and anticipated storage and handling

conditions of temperature and pressure.

Possibility of hazardous reactions: No information available. Conditions to avoid: No information available.

Incompatible materials: No particular incompatibilities. Store and use as directed.

Hazardous decomposition products: Only small quantities of decomposition products are expected from this

> products at temperatures normally achieved in a fire. Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and

unconsciousness followed by coma and death.

Biopren® 50 Liquid Mosquito Larvicide

Date of Issue: 24 February 2022

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Not harmful and does not cause toxicity via oral, dermal and inhalation routes,

according to available data.

Skin irritation: Available information considers that the product is not a skin irritant, however, may

cause slight irritation.

Eye irritation: Available information considers that the product is not an eye irritant, however, may

cause slight irritation.

Respiratory or skin

It is not considered a skin sensitiser according to available information. Not

sensitisation:

considered to be a respiratory sensitiser.

Germ cell mutagenicity:

Not suspected to cause genetic defects according to available data. Not considered to be carcinogenic according to available data.

Carcinogenicity: Reproductive toxicity:

Not considered to be toxic to reproduction according to available data.

STOT-single exposure: STOT-repeated exposure:

Not expected to cause toxicity to a specific target organ according to available data. Not expected to cause toxicity to a specific target organ according to available data.

Aspiration hazard:
Chronic health effects:

Not expected to be an aspiration hazard according to available data. Not expected to cause chronic health effects according to available data.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Available information on this product indicates that this product is not classified as an acute aquatic toxicant.

Toxicity data for the active constituent, s-methoprene:

The below information is based on the CLH Report for S-Methoprene (July 2015), available at https://echa.europa.eu/documents/10162/6bfa9ecb-a0ab-42a5-ad72-99ba28db0672.

- Fish LC₅₀ = 4.26 mg/L at 96h, s- methoprene is considered acutely toxic.
- Aquatic invertebrate Daphnia magna EC₅₀ = 0.22 mg/L at 48h, s- methoprene is considered acutely toxic.
- Aquatic invertebrate Daphnia magna NOEC₅₀ = 0.019 mg/L at 21D, s- methoprene is considered chronically toxic.

Persistence/
Degradability:

It is considered that s-methoprene is not readily biodegradable.

Details of s-methoprene are available at:

https://echa.europa.eu/documents/10162/54df99ee-f938-4037-8f94-

e325674786b2

Bioaccumulative potential:

It is considered that s-methoprene has the potential to bioaccumulate.

Details of s-methoprene are available at:

https://echa.europa.eu/documents/10162/54df99ee-f938-4037-8f94-

<u>e325674786b2</u>

Mobility in soil:

It is considered that s-methoprene is expected to have no mobility when released to

soil.

Details of s-methoprene are available at:

https://pubchem.ncbi.nlm.nih.gov/compound/Methoprene#section=Ecotoxicity-

Values

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to Waste Management Authority. Dispose of contents/container in accordance with local/regional/national/international regulations. Break, crush or puncture and dispose of empty containers in a local authority landfill. Triple rinse and bury rinsate and empty capsules in a local authority landfill. If no landfill is available, bury the containers below 0.5m in a disposal pit specifically marked and set up for this purpose

Biopren® 50 Liquid Mosquito Larvicide

Date of Issue: 24 February 2022

clear of waterways, desirable vegetation and tree roots. Empty containers and product must not be burnt. Do NOT re-use containers for any other purpose.

14. TRANSPORT INFORMATION

Road and rail transport: Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods

Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Marine transport: Not classified as Dangerous Goods by the criteria of the International Maritime

Dangerous Goods Code (IMDG Code) for transport by sea;

NON- DANGEROUS GOODS.

Air transport: Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air;

NON- DANGEROUS GOODS.

15. REGULATORY INFORMATION

Poison schedule (SUSMP): Not a scheduled poison.

APVMA no.: 62020

All the constituents of this material are either listed on the Australian Inventory of

Chemical Substances (AICS), not required due to the nature of the chemical, or have been assessed under the Industrial Chemicals (Notification and Assessment) Act 1989

as amended.

16. OTHER INFORMATION

General information: None **Issue number:** 003

Issue date: 24 February 2022

In any event, the review and, if necessary, the re-issue of an SDS shall be no longer than 5 years after the last date

of issue.

Reason(s) for issue: Formulation change resulting in a change to the classification to non-hazardous.

Updates to section 2, 3, 4, 8, 9, 11 and 16.

Literary Reference: None

Key abbreviations or

ADG Code - Australian Code for the Transport of Dangerous Goods by Road and Rail

acronyms used: (7th edition

AgVet Code Act 1994 – Agricultural and Veterinary Chemicals Code Act 1994

AICS - Australian Inventory of Chemical Substances

APVMA – Agricultural Pesticides and Veterinary Medicines Australia

GHS - Globally Harmonised System of Classification and Labelling of Chemicals (7th

revised edition) 2017

IARC - International Agency for Research on Cancer

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (July

2020)

STEL - Short term exposure limit means the average airborne concentration of a substance calculated over a 15 minute period. The STEL should not be exceeded at

any time during a normal eight hour working day.

SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons

SWA - Safe Work Australia, formerly ASCC and NOHSC

TWA - Time-weighted average means the average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day

working week.

WHS - Workplace Health and Safety

The physical values and properties described in this SDS are typical values based on scientific literature and material produced to date, and are believed to be reliable. The manufacturer provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. The information is supplied upon the condition that the persons receiving information will make their own determination as to the suitability for their purposes prior to use of this product. Due care should be taken to ensure that the use of this product and its disposal is in compliance with all relevant Federal, State and Local Government regulations.

Biopren® 50 Liquid Mosquito Larvicide Date of Issue: 24 February 2022

End of SDS